



Mahatma Phule Krishi Vidyapeeth, Rahuri


Information about Crop wise Improved / Hybrid Varieties Developed by University

Improved / Hybrid Varieties of Chickpea

Chickpea-Vikas

	Release year	1982
	Name of Institute / University	Pulses Improvement Project, MPKV, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Rainfed crop : 20 th Sept to 10 Oct Irrigated crop : 20 th Oct to 10 Nov Duration : 105-110 Days	
Seed Rate (Per acre)	Seed rate : 30 kg/Acre	
Crop duration	105-110 Days	
Productivity	Rainfed: Trial yield: 10-11, Average yield: 10.00 Irrigated: Trial yield: 22-24, Average yield: 15.00	
Characters / features	Medium size seeds, less damage by bruchid beetles in storage, Suitable for rainfed condition, Released for Western Maharashtra.	

Chickpea-Vishwas

	Release year	1985
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Rainfed crop : 20 th Sept to 10 Oct Irrigated crop : 20 th Oct to 10 Nov Duration : 115-120 Days	
Seed Rate (Per acre)	35-40 kg/Acre	
Crop duration	115-120 Days	
Productivity	Rainfed : Trial yield: 10-11, Average yield: 10.00 Irrigated: Trial yield: 28-30, Average yield: 24.00	
Characters / features	Bold seeds, Responsive to irrigation and fertilizer, Released for Maharashtra, Madhya Pradesh, Gujrat, W.Bengal, East Uttar Pradesh, Orissa and Bihar.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Chickpea-Phule G 12

	Release year	1989
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Rainfed crop : 20 th Sept to 10 Oct Irrigated crop : 20 th Oct to 10 Nov Duration : 110-115 Days	
Seed Rate (Per acre)	Seed rate : 30 kg/Acre	
Crop duration	110-115 Days	
Productivity	Rainfed: Trial yield : 12 - 13, Average yield: 10.00 Irrigated: Trial yield : 28 - 30, Average yield :22.00	
Characters / features	Attractive yellowish brown medium size seeds, Suitable for rainfed and irrigated conditions, Released for Maharashtra.	

Chickpea-Vijay

	Release year	1993
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Rainfed crop : 20 th Sept to 10 Oct Irrigated crop : 20 th Oct to 10 Nov Duration : 105-110 Days	
Seed Rate (Per acre)	Seed rate : 30 kg/Acre	
Crop duration	105-110 Days	
Productivity	Rainfed: Trial yield: 14-15, Average yield: 14.00 Irrigated: Trial yield: 35-40, Average yield: 23.00 Late sown: Trial yield : 16-18, Average yield : 16.00	
Characters / features	High yield potential, wilt resistant, drought tolerant, Suitable for rainfed, irrigated and late sown conditions, Released for Maharashtra, Madhya Pradesh and Gujarat.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Chickpea-Vishal

	Release year	1995
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Rainfed crop : 20 th Sept to 10 Oct Irrigated crop : 20 th Oct to 10 Nov Duration : 110-115 Days	
Seed Rate (Per acre)	Seed rate : 35-40 kg/Acre	
Crop duration	110-115 Days	
Productivity	Rainfed: Trial yield: 14-15, Average yield: 13.00 Irrigated: Trial yield: 30-35, Average yield: 20.00	
Characters / features	Attractive yellowish brown bold seeds, wilt resistant, Fetches good market price, suitable for irrigated conditions, Released for Western Maharashtra.	

Chickpea-Virat


	Release year	2001
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Irrigated crop : 20 th Oct to 10 Nov Duration : 110-115 Days	
Seed Rate (Per acre)	Seed rate : 35-40 kg/Acre	
Crop duration	110-115 Days	
Productivity	Rainfed: Trial yield: 10 - 12, Average yield: 11.00 Irrigated: Trial yield: 30-32, Average yield: 19.00	
Characters / features	Extra bold seeded kabuli variety, Wilt resistant, Released for Maharashtra.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Chickpea-Vihar

	Release year	2002
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Irrigated crop : 20 th Oct to 10 Nov Duration : 90-95 Days (SZ : Karnataka, A.P, Orissa and Tamilnadu)	
Seed Rate (Per acre)	Seed rate : 35-40 kg/Acre	
Crop duration	90-95 Days (SZ : Karnataka, A.P, Orissa and Tamilnadu)	
Productivity	Irrigated: Trial yield: 30-32, Average yield: 18.00	
Characters / features	Extra bold seeded kabuli variety, Wilt resistant, Released for Karnataka, Andhra Pradesh, Orissa and Tamilnadu.	

Chickpea-Rajas

	Release year	2005
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Late sown irrigated crop : First week of December Duration : 135-140 Days in NWPZ	
Seed Rate (Per acre)	Seed rate : 35-40 kg/Acre	
Crop duration	135-140 Days in NWPZ	
Productivity	Late sown : Trial Yield : 20-22, Average yield : 18.00	
Characters / features	Yellowish brown bold seeds, Wilt resistant, Suitable for late sown conditions of North West Plain Zone. Released for Rajasthan, Punjab, Haryana Uttaranchal, New Delhi, and Jammu.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Chickpea-Digvijay

	Release year	2006
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Rainfed crop : 20 th Sept to 10 Oct Irrigated crop : 20 th Oct to 10 Nov Duration : 105-110 Days	
Seed Rate (Per acre)	Seed rate : 35-40 kg/Acre	
Crop duration	105-110 Days	
Productivity	Rainfed: Trial yield: 14-15, Average yield: 14.00 Irrigated: Trial yield: 35-40, Average yield: 23.00 Late sown: Trial yield: 20-22, Average yield: 21.00	
Characters / features	High yield potential, bold seeds, wilt resistant, Suitable for rainfed, irrigated and late sown conditions, Released for Maharashtra	

Chickpea-Kripa

	Release year	2009
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Irrigated crop : 20 th Oct to 10 Nov Duration : 105-110 Days	
Seed Rate (Per acre)	Seed rate : 45-50 kg/Acre	
Crop duration	105-110 Days	
Productivity	Irrigated : Trial Yield : 30-32, Average yield : 18.00	
Characters / features	Extra-large seeded kabuli variety (59.4 g/100 seeds), milky white seed colour, Fetches premium market price, Released for MS, MP and Karnataka	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Chickpea-Himali

	Release year	2012
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea :Irrigated crop : 20 th Oct to 10 Nov Duration : 190-195 Days (NHZ)	
Seed Rate (Per acre)	Seed rate : 35-40 kg/Acre	
Crop duration	190-195 (NHZ)	
Productivity	Irrigated: Trial Yield : 12-14, Average yield : 12.00	
Characters / features	Extra bold seeded kabuli variety, 37.7 g. per 100 seeds, Wilt resistant, Released for NHZ (North Hill Zone comprising the states of Jammu and Kashmir, Himachal Pradesh, Uttarakhand and NEH region).	

Chickpea-Phule Vikram

	Release year	2016
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Rainfed crop : 20 th Sept to 10 Oct Irrigated crop : 20 th Oct to 10 Nov Late sown : First week of December Duration : 105-110 Days	
Seed Rate (Per acre)	Seed rate : 30 kg/Acre	
Crop duration	105-110 Days	
Productivity	Rainfed : Trial Yield : 16-18, Average yield : 16.00 Irrigated : Trial Yield : 40-42, Average yield : 22.00 Late sown : Trial Yield : 22-24, Average yield : 21.00	
Characters / features	Tall growth habit hence suitable for mechanical harvesting, medium size yellowish brown seeds, Wilt resistant, suitable for rainfed, irrigated and late sown conditions, Released for Maharashtra.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Chickpea-Phule Vikrant

	Release year	2017
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Minimum temperature 10-15 ⁰ C, Maximum temperature 25 to 30 ⁰ C Rainfall 750 to 1000 mm Humidity 21-41 %
Sowing Time / Planting period	Optimum sowing period for chickpea : Irrigated crop : 20 th Oct to 10 Nov Duration : 105-110 Days	
Seed Rate (Per acre)	Seed rate : 30 kg/Acre	
Crop duration	105-110 Days	
Productivity	Irrigated : Trial Yield : 35-42, Average yield : 20.00	
Characters / features	Yellowish brown medium size seeds, Wilt resistant, suitable for irrigated condition, Released for WCZ (MS, Gujarat, West MP and South Rajasthan)	

Pigeon pea – T-Vishakha 1

	Release year	1982
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	21 to 25 ⁰ C to 30 to 35 ⁰ C, Rainfall 750 to 1000 mm Humidity 60-80 %
Sowing Time / Planting period	Optimum sowing period for pigeonpea : 2 nd fortnight of June to First week of July	
Seed Rate (Per acre)	Seed rate : 1.800 - 2.000 kg/Acre	
Crop duration	135-140 Days	
Productivity	Irrigated : Average yield : 10-12	
Characters / features	Early maturity, Suitable for sole and multiple cropping, red colour seeds, Released for Maharashtra.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Pigeon pea-Vipula

	Release year	2006
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	21 to 25 °C to 30 to 35°C, Rainfall 750 to 1000 mm Humidity 60-80 %
Sowing Time / Planting period	Optimum sowing period for pigeonpea :2 nd fortnight of June to First week of July Duration : 160-170 Days	
Seed Rate (Per acre)	Seed rate : 1.800 - 2.000 kg/Acre	
Crop duration	160-170 Days	
Productivity	Trial Yield : 28-30, Average yield : 16.00	
Characters / features	Resistant to <i>Fusarium</i> wilt, moderately resistant to sterility mosaic disease, Red colour medium seeds, Released for Maharashtra.	

Pigeon pea-Rajeshwari

	Release year	2012
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Well drained, medium to deep soils having 45 to 60 cm depth.
	Climate	Temperature range: 21 to 25 °C to 30 to 35°C, Rainfall 750 to 1000 mm Humidity 60-80 %
Sowing Time / Planting period	Optimum sowing period for pigeonpea : 2 nd fortnight of June to First week of July Duration : 135-150 Days	
Seed Rate (Per acre)	Seed rate : 1.800 - 2.000 kg/Acre	
Crop duration	135-150 Days	
Productivity	Trial Yield : 28-30, Average yield : 22.00	
Characters / features	Early maturity, dark brown colour, medium bold seeds (10.5 to 11.0 g/100 seeds), Moderately resistant to wilt and sterility mosaic diseases, Released for Maharashtra, MP and Gujarat	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Horsegram - Seena



	Release year	1984
	Name of Institute / University	AICRP on DLA, Solapur, MPKV, Rahuri
	Soil type	Light soil
	Climate	Optimum Temperature:22.0 to 32.0 °C
Sowing Time / Planting period	15 June to 15 July	
Seed Rate (Per acre)	6.0 kg/acre	
Crop duration	115-120 days	
Productivity	6-8 quintal/ha (2.5-3.0qt/acre)	
Characters / features	Grain colour brick red	
Remarks	Recommended for Maharashtra state	

Horsegram - Man



	Release year	1986
	Name of Institute / University	AICRP on DLA, Solapur, MPKV, Rahuri
	Soil type	Light soil
	Climate	Optimum Temperature:22.0 to 32.0 °C
Sowing Time / Planting period	15 June to 15 July	
Seed Rate (Per acre)	6.0 kg/acre	
Crop duration	100-105 days	
Productivity	6-7 quintal/ha (2.5-3.0qt/acre)	
Characters / features	Grain colour -Ash, high crude protein-18.37%, Iron 36.23 mg/100g, Erect type	
Remarks	Recommended for Maharashtra state	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Horsegram - Phule Sakas

	Release year	2016
	Name of Institute / University	AICRP on DLA, Solapur, MPKV, Rahuri
	Soil type	Light soil
	Climate	Optimum Temperature:22.0 to 32.0 °C
Sowing Time / Planting period	15 June to 15 July	
Seed Rate (Per acre)	6.0 kg/acre	
Crop duration	90-95 days	
Productivity	8-10 quintal/ha(3.0-4.0qt/acre)	
Characters / features	Grain colour -brown, Early maturity, high crude protein-22.09%, Iron37.86mg/100g	
Remarks	Recommended for Maharashtra state	

Mothbean - MBS-27

	Release year	1989
	Name of Institute / University	AICRP on DLA, Solapur, MPKV, Rahuri
	Soil type	Light soil
	Climate	Optimum Temperature:22.0 to 34.0 °C
Sowing Time / Planting period	15 June to 15 July	
Seed Rate (Per acre)	6.0 kg/acre	
Crop duration	120-130 days	
Productivity	6-7 quintal/ha(2.5-3.0qt/acre)	
Characters / features	Grain colour -brown	
Remarks	Recommended for Maharashtra state	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Cowpea – Phule Pandhari (PCP 9708)



	Release year	2007
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth Rahuri
	Soil type	Medium to Deep soils Multipliable cropping Systems (Rain fed /Irrigated conditions)
	Climate	Humid and Dry land conditions
Sowing Time / Planting period	Through out the year, K:1 st Forth night of June to 2 nd fort night of July Planting period : K: June to July and Summer : Feb to March	
Seed Rate (Per acre)	10-12 kg	
Crop duration	65-72 days	
Productivity	15-25 q/ha	
Characters / features	High yielding, Short duration Erect growth habit, Brown shiny grains, suitable for multiple cropping system, Pale green leaf & stem colour, non-Lodging, Moderately resistant to Pest and Diseases	

Cowpea – Phule Vithai (PCP 05040)



	Release year	2015
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth Rahuri
	Soil type	Medium to Deep soils Multipliable cropping Systems (Rain fed /Irrigated conditions)
	Climate	Humid and Dry land conditions
Sowing Time / Planting period	Throughout the year, K:1 st Forth night of June to 2 nd fort night of July Planting period : K: June to July and Summer : Feb to March	
Seed Rate (Per acre)	10-12 kg	
Crop duration	65-72 days	
Productivity	15-25 q/ha	
Characters / features	High yielding Indeterminate, off white kidney shape seeds, Early, Erect growth habit, Suitable for multiple of Western Maharashtra cropping system, Dark green and medium size leaflets, Dark purple flower colour non Lodging, Moderately resistant to Pest and Diseases	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Cowpea – Phule Rukmini (PCP 0306-1)



	Release year	2016 (Central release South zone of India) (CVRC)
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth Rahuri
	Soil type	Medium to Deep soils Multipliable cropping Systems (Rain fed /Irrigated conditions)
	Climate	Humid and Dry land conditions
Sowing Time / Planting period	Through out the year, K:1 st Fort night of June to 2 nd fort night of July Planting period : K: June to July and Summer : Feb to March	
Seed Rate (Per acre)	10-12 kg	
Crop duration	75-77 days	
Productivity	10-15 q/ha	
Characters / features	High yielding Indeterminate, Pearly white kidney shape seeds, Early, Erect growth habit, Suitable for multiple cropping system of south zone of India, Dark green and medium size leaflets, non-Lodging, Moderately resistant to Pest and Diseases	

Urdbean – TPU-4



	Release year	1992
	Name of Institute / University	Name of Institute/University: BARC, Mumbai and Pulses Improvement Project, MPKV Rahuri
	Soil type	Medium to Black Cotton Soil
	Climate	Suitable for Kharif planting in all the districts of Maharashtra, Madhya Pradesh and Gujrat.
Sowing Time / Planting period	First fort night of June to 7 th July.	
Seed Rate (Per acre)	6-7 kg	
Crop duration	70-75 days	
Productivity	10-12 q/ha (Potential), 9-10 q/ha (Average)	
Characters / features	Tolerant to Powdery mildew and Yellow mosaic virus, Growth habit: Tall, semi spreading, Profuse branching, broad leaves, bold seed size.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Mungbean - Phule M-2



	Release year	1989
	Name of Institute / University	Mahatma Phule Krishi Vidyapeeth, Rahuri
	Soil type	Medium black
	Climate	Kharif & Summer
Sowing Time / Planting period	Second week of June	
Seed Rate (Per acre)	5-6 kg	
Crop duration	60-65 days	
Productivity	8-10 q/ha	
Characters / features	Medium size, green colour seeds, (100 seed wt: 3.6-3.8 g), suitable for kharif and summer season, released for W. Maharashtra	

Mungbean - Vaibhav



	Release year	2001
	Name of Institute / University	Pulses Improvement Project, MPKV Rahuri
	Soil type	Medium to Black Cotton Soil
	Climate	Suitable for Kharif planting in all the districts of Maharashtra.
Sowing Time / Planting period	First fort night of June to 7 th July.	
Seed Rate (Per acre)	6-7 kg	
Crop duration	69-74	
Productivity	12-14 q/ha (Potential), 10-12 q/ha (Average)	
Characters / features	Resistant to Powdery mildew, Growth habit: Tall, semi spreading, Profuse branching, green stem with, light pigmentation, broad leaves, with brown midrib, long pods with bold seed size.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Rajmah - Mutha (HPR-35)

	Release year	1994
	Name of Institute / University	MPKV, Rahuri (NARP, Ganeshkhind, Pune)
	Soil type	Medium deep soil
	Climate	Cold and dry climate
Sowing Time / Planting period	Kharif: 15 th June to 15 th July Rabi: 15 th Oct. to 15 th Nov	
Seed Rate (Per acre)	90 kg./ha	
Crop duration	72-74 days	
Productivity	12-13q./ha	
Characters / features	Purple with black streak, Bold seed (35.00g./100g.seed), Protein content-23.33%, Carbohydrate content- 63.73%, Moderately resistant to anthracnose and CBMV, Resistance to water lodging condition	

Rajmah - Varun

	Release year	2001
	Name of Institute / University	MPKV, Rahuri (NARP, Ganeshkhind, Pune)
	Soil type	Well drained, Medium to deep
	Climate	Cold and Dry climate
Sowing Time / Planting period	Kharif: 15 th June to 15 th July	
Seed Rate (Per acre)	Rabi: 15 th Oct. to 15 th November	
Crop duration	65-70 days	
Productivity	15-17 q./ha	
Characters / features	Dough white with purple streak attractive seed coat color, Bold seed (34.00 g./100g.seed), Protein content-23.60%, Carbohydrate content- 61.64%, Moderately resistant to Anthracnose and CBMV, Flower color: pinkish white	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Rajmah - Phule Rajmah (GRB-902)

	Release year	2017
	Name of Institute / University	MPKV, Rahuri (NARP, Ganeshkhind, Pune)
	Soil type	Well drained, Medium to deep
	Climate	Cold and Dry climate
Sowing Time / Planting period	Kharif: 15 th June to 15 th July Rabi: 15 th Oct. to 15 th November	
Seed Rate (Per acre)	90-100 kg./ha	
Crop duration	76-80 days	
Productivity	17-19 q./ha	
Characters / features	Dough white with pinkish streak attractive seed coat color, Bold seed (36.50g./100g.seed), Protein content-23.38%, Carbohydrate content- 63.93%, Moderately resistant to Fusarium wilt and CBMV Moderately resistance to pod borerand white fly, Flower color: Pinkish white	