

Improved / Hybrid Varieties of Oilseeds

Groundnut – Karad-4-11

	Release year	1939
मृद्धियो प्रमाद स्था	Name of Institute / University	Govt. of Maharashtra
	Soil type	
KARAD 4-11	Climate	
	Sowing Time / Planting period	First week of June to July second week
	Seed Rate (Per acre)	40 kg
	Crop duration	135-140 days
Productivity	20-25 q/ha	
Characters / features		

Groundnut - S.B.-11

	Release year	1965
	Name of Institute / University	Oilseeds Research Station, Jalgaon
	Soil type	Medium to light
	Climate	Kharif / Summer
	Sowing Time /	Kharif: 15 th June to 15 th July
	Planting period	Summer: 15 th Jan. to 15 th Feb.
	Seed Rate (Per acre)	40-50 kg
SB-XI	Crop duration	105-110 days
Productivity	20-25 q/ha	
Characters / features	Drought tolerant, wider	adaptability, high shelling percentage



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Groundnut – JL-220 (Phule Vyas)

PHULE VYAS (JL-220)

Productivity

Characters / features

Release year	1965	
Name of Institute / University	Oilseeds Research Station, Jalgaon	
Soil type	medium to light	
Climate	Kharif	
Sowing Time / Planting period	15 th June to 15 th July	
Seed Rate (Per acre)	48-50 kg	
Crop duration	105-110 days	
20-25 q/ha		
Tolerant to rust & late leaf spot, early maturity		

and the st	Release year	1979
	Name of Institute / University	Oilseeds Research Station, Jalgaon
	Soil type	medium to light
	Climate	Kharif
JL-24	Sowing Time / Planting period	15 th June to 15 th July
	Seed Rate (Per acre)	48-50 kg
	Crop duration	99 to 104 days
Productivity	15-20 q/ha	
Characters / features	Bold seeded, wider adaptability, early maturity	

Groundnut – JL-24 (Phule Pragati)



Groundnut - B-95 (Koyana)

	Release year	1993
LANGE TO A STATE OF THE STATE O	Name of Institute / University	AICRP on Groundnut, MPKV, Rahuri
	Soil type	Medium light
A STATE OF THE STA	Climate	Released for summer season in Western Maharashtra
	Sowing Time / Planting period	Summer 15 th January to 15 th February
AND THE PERSON NAMED IN	Seed Rate (Per acre)	(Per acre) 50kg / acre
	Crop duration	Summer-135-140 days
Productivity	30-35 q/ha	
Characters / features	Virginia bunch, Height-25-30 cm, Stem-sub-glabrous with no stem pigmentation, Leaf-Lanceolate, dark green, almost glabrous, Flower- yellow, Peg with pigmentation, Pod-Extra Bold with two kernel and reticulation, Kernel-pine Red colour, Oil -48%, Resistance to Spodoptera, Rust and moderately resistant to Late Leaf Spot and Stem rot, Tolerant to stress due to dark green lanceolate leaves	
Remarks	Groundnut var. Phule Unnati- A dual season variety developed to overcome problem of seed production & storage	

Groundnut – JL-286 (Phule Unap)

	Release year	2004
	Name of Institute /	Oilseeds Research Station, Jalgaon
	University	
	Soil type Climate	Medium to light Kharif /Summer
	Sowing Time /	Kharif: 15 th June to 15 th July
	Planting period	Summer: 15 th Jan. to 15 th Feb.
	Seed Rate (Per acre)	Seed Rate/acre: 48-50 kg
PHULE UNAP (JL-286)	Crop duration	Crop duration: 93-95 days
Productivity	22-25 q/ha	
Characters / features	Tolerant to root rot, longer flowering span, oil content 49-50%	



Groundnut – TPG-41

	Release year	2004
	Name of Institute / University	AICRP on Groundnut, MPKV, Rahuri
	Soil type	Medium light
	Climate	Released for summer season in Western Maharashtra
	Sowing Time / Planting period	Summer-15 th January to 15 th February.
	Seed Rate (Per acre)	48-50kg / acre
	Crop duration	130 days
Productivity	30-35 q/ha	
Characters / features	High dry pod yield, oil 48%, extra bold kernel size. HKW-70 gm.kernel colour pink red, highly tolerance to aflatoxin content	
Remarks	Recommended for Summer tract of Maharashtra state	

Groundnut – JL-501

Name of Institute / University Soil type Name of Institute / Oilseeds Research Station, Jalgaon Medium to light		Release year	2009
			Oilseeds Research Station, Jalgaon
		Soil type	Medium to light
		Climate	Kharif /Summer
Sowing Time / Kharif: 15 th June to 15 th July	The William	Sowing Time /	
Planting period Summer: 15 th Jan. to 15 th Feb.		Planting period	Summer: 15 th Jan. to 15 th Feb.
Seed Rate (Per acre) 40-50 kg		Seed Rate (Per acre)	40-50 kg
Crop duration 99 to 104 days	JL-501	Crop duration	99 to 104 days
Productivity 30-32 q/ha	ductivity	30-32 q/ha	
Characters / features Oil content 49%, tolerant to Alfatoxin	aracters / features	Oil content 49%, tolerant to Alfatoxin	



Groundnut - Phule RHRG-6021

	Release year	2011
J. J. A.	Name of Institute / University	AICRP on Groundnut, MPKV, Rahuri
THE PERSON NAMED IN	Soil type	Medium light
	Climate	Released for summer season in Western Maharashtra
这样子 这个	Sowing Time / Planting period	15 th January to 15 th February
	Seed Rate (Per acre)	48-50kg / acre
	Crop duration	Summer-120-125 days
Productivity	Summer:-35-40 q/ha	
Characters / features	Virginia Bunch type Semis-preading (VB), Height- 20-25, Stem-sub-glaborus with stem pigmentation, Leaf-oblong, dark green, almost glabrous, Flower-orange yellow, Peg with pigmentation, pod-small with two kernel and present reticulation, Kernel-rose colour, oil -51%, Resistance to Spodoptera 3.92 %, Rust 1-5 %, Late Leaf Spot 1-5 % and Stem rot 8.57 %, Tolerant to stress, Dark green leaves, It is having 37 g Hundred kernel weight, 68 % Shelling, 91 % Sound Mature Kernels.	
Remarks	Recommended for cultivation in Summer season in Western Maharashtra State	

Groundnut - Phule Unnati (RHRG-6083)

	Release year	2012
	Name of Institute / University	AICRP on Groundnut, MPKV, Rahuri
	Soil type	Medium light
	Climate	Kharif/Summer season
	Sowing Time / Planting period	Kharif 15 th June to 15 th July Summer 15 th January to 15 th February
	Seed Rate (Per acre)	48-50kg / acre
A TO THE RESERVE TO THE PARTY OF THE PARTY O	Crop duration	Kharif-111 days, Summer-128 days
Productivity	Summer -35-40 q/ha Kharif- 25-30 q/ha	
Characters / features	Spanish bunch, Height-35-40 cm, Stem-sub-glabrous with no stem pigmentation, Leaf-Lanceolate, dark green, almost glabrous, Flower-orange yellow, Peg with pigmentation, Pod-Medium with two kernel and reticulation, Kernel-Red colour, Oil -52%, Resistance to Spodoptera, Rust, moderately resistant to Late Leaf Spot and Stem rot, Tolerant to stress due to dark green lanceolate leaves	
Remarks	A dual season variety developed to overcome problem of seed production & storage	



Groundnut – Phule Morana (KDG 123)

	Release year	2016
VIRGINIA BUNCH	Name of Institute /	Agricultural Research Station, K.Digraj,
GROUNDNUT VARIETY	University	Dist.Sangli
KDG 123	Soil type	Light to medium sandy loam with high organic matter content, pH- 7 to 8
	Climate	Kharif season
100-13	Sowing Time / Planting period	15 th June to 30 th July
	Seed Rate (Per acre)	35-40 kg
	Crop duration	120-125 days
Productivity	25-30 q/ha	
Characters / features	Suitable for Southern Maharashtra, Tamilnadu, Andhra Pradesh, Telangana, Karnataka, Gujarat, Southern Rajasthan, Jharkhand, Orissa, West Bengal & Imphal, Moderately resistant late leaf spot & rust diseases, Medium bold kernels, shelling 68-70 % & oil content 46-48 %, Wider adoptability	
Remark	Virginia bunch variety.	

Groundnut – Phule Warana (KDG 128)

	Release year	2016
	Name of Institute /	Agricultural Research Station, K.Digraj,
Phule Warna	University	Dist.Sangli
(KDG 128)	G - 11 4	Light to medium sandy loam with high
	Soil type	organic matter content, pH- 7 to 8
THE STATE OF THE S	Climate	Kharif season
	Sowing Time /	15 th June to 15 th July
	Planting period	15 Julie to 15 July
	Seed Rate (Per acre)	35-40 kg
	Crop duration	115-120 days
Productivity	25-30 q/ha	
	Suitable for Southern Maharashtra, Tamilnadu, Andhra Pradesh,	
Characters / features	Gujarat, Telangana, Rajasthan and Karnataka, Moderately resistant	
Characters / Teatures	late leaf spot & rust diseases, Medium bold kernels, shelling 69 %	
	and oil content 50 %	
Remark	Suitable for <i>kharif</i> season for Virginia bunch growing areas.	



Groundnut – Phule Chaitanya (KDG 160)

	Release year	2016
WARRY CO.	Name of Institute /	Agricultural Research Station, K.Digraj,
GROUNDNUT	University	Dist.Sangli
KDG 160	Soil trmo	Light to medium sandy loam with high
	Soil type	organic matter content, pH- 7 to 8
	Climate	Summer, Irrigated
KDG 160	Sowing Time /	15 th January to 30 th January
	Planting period	13 January to 30 January
ASS. AND.	Seed Rate (Per acre)	40-50 kg
	Crop duration	105-110 days
Productivity	20-24 q/ha	
	Suitable for Rabi-summer in Andhra Pradesh, Telangana &	
Characters / features	Tamilnadu, Moderately resistant to stem rot & leaf spot diseases	
Characters / Teatures	(LLS), Medium bold kernels (40-48g), Shelling 65-69 % & oil	
	content 51.6%	
Remark	Suitable for summer season.	

Groundnut – JL-776 (Phule Bharati)

0 -	Release year	2017
	Name of Institute / University	Oilseeds Research Station, Jalgaon
	Soil type	Medium to light
	Climate	Kharif /Summer
	Sowing Time /	Kharif: 15 th June to 15 th July
5276	Planting period	Summer: 15 th Jan. to 15 th Feb.
	Seed Rate (Per acre)	48-50 kg
	Crop duration	105-110 days
Productivity	30-35 q/ha	
Characters / features	High oil content 51%, Recommended for Maharashtra, Madya Pradesh, Tamil Nadu, Andra Pradesh	



Groundnut – Phule Dhani (JL-1085)

	Release year	2019
	Name of Institute / University	Oilseeds Research Station, Jalgaon
	Soil type	Medium to light
	Climate	Kharif
	Sowing Time / Planting period	15 th June to 15 th July
JL-1085	Seed Rate (Per acre)	48-50 kg
32 1003	Crop duration	100-110 days
Productivity	30-35 qt/ha	
	High oil content 51%, maximum number of three seeded pod,	
Characters / features	resistance to foliar diseases, resistance to Spodoptera & Thrips,	
	high shelling%	

Sunflower - SS-56

	Release year	1984
	Name of Institute / University	ZARS, Solapur (MPKV, Rahuri)
文学的	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 20 to 30°C
Sowing Time / Planting period	Kharif, Rabi and Summer	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	80-85 days	
Productivity	10-11 quintal/ha	
	Moderately tolerant to head borer and sucking pests,	
Characters / features	Suitable for late sowing, Suitable for intercropping,	
	content 32-35 %	
Remark	Suitable for ra	infed conditions (State level).
Kemark	Recommended for cultivation in Maharashtra State.	



Sunflower - Bhanu

San	Release year	2006
	Name of Institute / University	ZARS, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
ASTRONOM SERVICE	Climate	Optimum Temperature: 20 to 30°C
Sowing Time / Planting period	Kharif season	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	85-90 days	
Productivity	Productivity – 12-13 quintal/ha	
Characters / features	Tolerant to drought, Oil content - 35-36 %, Tolerant to head borer and Moderately tolerant to sucking pests, Moderately tolerant to rust, Alternaria leaf spot and Necrosis, Suitable for rainfed and irrigated conditions	
Remark	Recommended for rainfed kharif conditions of Maharashtra.	

Sunflower - Phule Raviraj (Hybrid) (KSFH-437)

Mary Marie was had 5	Release year	2009
Sec. 6.16	Name of Institute / University	Agriculture Research Station, Savalvihir Tal-Rahata, Dist-Ahmednagar,
	Soil type	Medium deep soil
KSFH-437	Climate	Kharif season
Sowing Time / Planting period	Kharif season (July Month)	
Seed Rate (Per acre)	2 kg	
Crop duration	95 days	
Productivity	18-20 qt/ha	
Characters / features	Oil per cent 34%, Big head size with centre filling head, Tolerant to bud necrosis and alternaria, Tolerant to the pests like capitulum borer, Responsive to fertilizer, High yielding and early maturing, Resistant to lodging	
Remark		the medium deep soils of Western Mahatarashta n for both Rainfed and Irrigated conditions



Sunflower - Bhaskar

	Release year	2015
	Name of Institute / University	ZARS, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
The state of the s	Climate	Optimum Temperature: 20 to 32°C
Sowing Time / Planting period	Kharif season	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	80-85 days	
Productivity	16-18 quintal/ha	
Characters / features	Early maturing, High yield, Oil content 37-38 %, dark black shiny seed, Suitable for drought prone (scarcity zone) area, Moderately tolerant to powdery mildew, Alternaria leaf spot and Bud-Necrosis.	
Remark	Recommended for rainfed kharif conditions of Maharashtra state	

Sesamum – JLT-408

	Release year	2010
	Name of Institute / University	Oilseeds Research Station Jalgaon (MPKV)
1.	Soil type	Medium Soil to Black Soil
- Experimental View	Climate	Raifed, Temp. 21 to 26°C during growth period and 26 to 32°C during seed filling period
	Sowing Time / Planting period	Second week of June to first week of July.
	Seed Rate (Per acre)	1.0 to 1.20 kg
	Crop duration	81-85
Productivity	8.40 q/ha (Potential), 7.80 q/ha (Average)	
Characters / features	White and bold seed, High oil content (53.2%), Low in free fatty acid (1.46%), High Iodine value (107), Moderately resistant to Phyllody, Cercospora, Released for: Raifed tract of Khandesh and adjoining area of Vidharbh and Marathwada region o Maharashtra.	



Sesamum – Phule Purna (JLT 408-2)

	Release year	2021
	Name of Institute / University	Oilseeds Research Station Jalgaon (MPKV)
	Soil type	Medium Soil to Black Soil
	Climate	Raifed, Temp. 21 to 26°C during growth period and 26 to 32°C during seed filling period
	Sowing Time / Planting period	Second week of June to first week of July
	Seed Rate (Per acre)	1.0 to 1.20 kg
	Crop duration	81-85
Productivity	7 q/ha	
	Oil content (49.02 %	6), bold (4g/1000 seed weight) and white seeded,
	lower in FFA (0.81%) and Iodine Value (106.8), resistant to	
Characters / features	Cercospora leaf spot	, Alternaria leaf spot, Phyllody, Macrophomina
	stem/root rot, <i>Powdery mildew</i> and Moderately tolerent to pest leaf	
	roller & capsule borer	
	Released for summer cultivation in <i>Khandesh</i> and adjoining areas of	
Remark	Vidarbha and Marathwada region	

Niger – Sahaydari (IGP-76)

	Release year	1983
	Name of Institute / University	ZARS, Igatpuri, Nashik
	Soil type	Light to medium black
	Climate	Hot & Humid
Sowing Time / Planting period	Onset of monsoon June- July	
Seed Rate (Per acre)	1.6 to 2.0 Kg	
Crop duration	120-130 days	
Productivity	300-400 Kg/ha	
Characters / features	High yielding, small black grains, oil content 36%, high percentage of lenolic acid and protins, resistant to leaf eating cater piller and powdery mildew	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Niger - Phule Karala (IGPN- 2004-1)

	Release year	2008
	Name of Institute / University	ZARS, Igatpuri, Nashik
Entre of the late	Soil type	Light to medium black
	Climate	Hot & Humid
Sowing Time / Planting period	Onset of monsoon June- July	
Seed Rate (Per acre)	1.6 to 2.0 Kg	
Crop duration	95-100 days	
Productivity	450-500 Kg/ha	
Characters / features	It is high yielding (485 Kg/ha) which is 24.28% increase over IGP-76 (391 Kg/ha), Early maturing (97 days), Bold seeded with shiny black colour, More oil content (39%), Essential unsaturated fatty acid (Lenoleic acid) 62.1% more than IGP-76, Registant to lodging.	

Niger - Phule Vaitarana (IGPN- 8004)

Server Constant	Release year	2014
A Commence	Name of Institute / University	ZARS, Igatpuri, Nashik
The second secon	Soil type	Light to medium black
· 生物性 (1)	Climate	Hot & Humid
Sowing Time / Planting period	Onset of monsoon June- July	
Seed Rate (Per acre)	1.6 to 2.0 Kg	
Crop duration	105-110 days	
Productivity	450 to 550 Kg/ha	
Characters / features	High yielding, Early maturing, Bold seeded with shiny black colour, More oil content (39 to 40 %), High Lenoleic acid (57.2%) & Protein content (26.0%), Moderately tolerant to Aphids, Semiloopers, Resistent to Cercospora leaf spot and Alternarial leaf spot.	



Niger - Phule Kalsubai (IGPN 1834)



Release year	2025
Name of Institute / University	ZARS, Igatpuri, Nashik
Soil type	Light to medium black
Climate	Hot and humid

Sowing Time / Planting period	Onset of monsoon June- July	
Seed Rate (Per acre)	1.6 to 2.0 Kg	
Crop duration	Midlate (101 – 116 days)	
Productivity	4.22 q/ha	
Characters / features	High oil content (35.5%), shiny black colour seeds, more capitula per plant (54-60 capitula), tolerant to powdery mildew, root and stem rot diseases, recommended for <i>kharif</i> season.	



Safflower - Bhima

production of the second	Release year	1982
	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
17 Ab 446	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	120-130 days	
Productivity	13-15 quintal/ha (5-6qt/acre)	
Characters / features	Moderately tolerant to Aphid and fusarium wilt, Oil content -29-30%, Flower colour at bloom-white and at faded stage dirty white with red spot, Tolerant to moisture stress	
Remark	Recommended for Maharashtra state	

Safflower – Girna

Girna	Release year	1990
	Name of Institute / University	AICRP on safflower, Jalgaon, MPKV, Rahuri
The Barrier Co	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 16.0 to 32.0 °C
	Sowing Time / Planting period	15 September to 15 October
	Seed Rate (Per acre)	4.0 kg/acre
	Crop duration	130-135 days
Productivity	5-6 qt/acre	
Characters / features	Moderately tolerant to Aphid, Moderately tolerant to fussarium wilt,	
	Oil content -28-30%	
Remark	Recommended for Khandesh Region of Maharashtra state	



Safflower - Phule Kusuma

	Release year	2003
	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
并是一个分别的	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	125-140 days	
Productivity	Rainfed -13-15qt/haqt/acre)	a (5-6 qt/acre) & Irrigated-20-22 qt/ha (8-9
Characters / features	Moderately tolerant to Aphid, Oil content 30%, Flower colour at bloom-yellow and at faded stage red spot	
Remark	Recommended for country	assured rainfed and irrigated areas of the

Safflower - SSF-658 (Non Spiny)

	Release year	2008
	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	115-120 days	
Productivity	12-13 quintal/ha(5-5.50qt/acre)	
Characters / features	Moderately tolerant to Aphid and fusarium wilt, Oil content -28%, Flower colour at bloom-yellow and at faded stage- red	
Remark	recommended for safflower growing areas of the country	



Safflower - SSF-708

	Release year	2010
	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
665.700	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	115-120 days	
Productivity	Rainfed 14-16quintal/ha (5-6 qt/acre) & Irrigated-22-25 qt/ha (9-10 qt/acre)	
Characters / features	Moderately tolerant to Aphid, Oil content -31%, Flower colour at bloom-white and at faded – red, 100 seed wt 5.0g	
Remark	Recommended for Maharashtra	rainfed and irrigated safflower growing areas

Safflower – Phule SSF-733

	Release year	2011
	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	120-125 days	
Productivity	14-15quintal/ha (5-6 qt/acre)	
Characters / features	Moderately tolerant to Aphid and fusarium wilt, Oil content -29%, colour at bloom-white and at faded stage dirty white with red spot, Medium height	
Remark	recommended for rainfed safflower growing areas the country	



Safflower – Phule Chandrabhaga (SSF-748)

	Release year	2012
	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	.0 kg/acre	
Crop duration	125-140 days	
Productivity	13-16 quintal/ha (5-6 qt/acre), Irrigated-22-25 qt/ha (9-10 qt/acre)	
Characters / features	Moderately tolerant to Aphid, Oil content -29%, Flower colour at bloom-yellow and at faded stage red, 100seed wt-6g	
Remark	Recommended for rainfed and irrigated areas of the country	

Safflower – Phule Bhivara (SSF-13-71)

	Release year	2020
	Name of Institute /	AICRP on safflower, Solapur (MPKV, Rahuri)
4.7	University	Arcki oli sainowei, solapui (ivii kv, Kalluii)
	Soil type	Medium deep to deep
《这个人的人	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	125-126 days	
Productivity	20 quintal/ha	
Characters / features	Oil content- 29.2 %, moderately resistant to aphid, tolerant reaction to <i>Alternaria</i> leaf spot of safflower	
Remark		for safflower growing area of the country rnataka, Andhra and Telangana).



Safflower – Phule Nira (SSF-12-40)

	Release year	2020
	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	120-125 days	
Productivity	Grain yield- 17 quintal/ha, Oil yield - 565 kg/ha	
Characters / features	Moderately resistant to <i>Fusarium</i> wilt disease, moderately resistant for aphid	
Remark	Recommended for release for cultivation in safflower growing of the Country (Maharashtra, Karnataka, Andhra and Telangana) for rainfed and conditions.	

Safflower – Phule Gold (SSF-15-65)

	Release year	2021
A CANADA	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
对 对外,是特殊	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 16.0 to 32.0 °C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	120-125 days	
Productivity	16.65 qtl./ha., Oil yield - 575 kg/ha	
Characters / features	Oil content- 34.6 %, moderately resistant to <i>Fusarium</i> wilt disease	
Remark		or release in safflower growing Zone-I ataka, Andhra and Telangana) of the Country



Safflower – Phule Kiran (SSF-16-02)

	Release year	2021
一些人的	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)
	Soil type	Medium deep to deep
	Climate	Optimum Temperature: 16.0 to 32.0°C
Sowing Time / Planting period	15 September to 15 October	
Seed Rate (Per acre)	4.0 kg/acre	
Crop duration	125-130 days	
Productivity	Grain yield- 20.58 qtl./ha Oil yield - 632 kg/ha	
Characters / features	Oil content- 30.55 %, moderately tolerant to aphid	
Remark	Recommended for release in safflower growing areas of the Country (Maharashtra, Karnataka, Telengana, Andhra Pradesh, Madhya Pradesh and Chhattisgad)	

Safflower - SSF 18-02

a graduation of the second	Release year	2024	
	Name of Institute / University	AICRP on safflower, Solapur (MPKV, Rahuri)	
SSF 18-02	Soil type	Medium deep to deep	
Parallel 2 and American parallel and American and American and American and American and American and American	Climate	Optimum Temperature: 16.0 to 32.0°C	
Sowing Time / Planting period	Sowing time:Rainfed:15th September to 15th October Irrigated: 15th September to 30th October		
Seed Rate	10 kg/ha		
Crop duration	136 days		
Productivity	High yield (1844 kg ha-1)		
	High oil yield (625 kg ha-1)		
Characters / features	Higher Oil content- 33.7%, Moderately resistant to wilt.		
	Recommended for rainfed and irrigated safflower growing areas		
Remark	nark (Zone I: Maharashtra, Karnataka, Andhra Pradesh and Te		
	Zone II: Madhya Pradesh and Chhattisgarh)		



Mahatma Phule Krishi Vidyapeeth, Rahuri

Information about Crop wise Improved / Hybrid Varieties Developed by University

Soybean – Phule Kalyani (DS 228)

	Release year	2006
	Name of Institute / University	Agricultural Research Station, K.Digraj, Dist.Sangli
	Soil type	Well drained, medium to heavy sandy loam soil.
पूर्व बल्लानी (प्रेसल १४८)	Climate	Kharif season.
Sowing Time / Planting period	2 nd fortnight of June to first week of July	
Seed Rate (Per acre)	30 kg	
Crop duration	(95-100 days)	
Productivity	23-25 Qt/ha	
Characters / features	Suitable for Maharashtra state especially rust prone areas, Slow rusting to rust, moderately resistant to Charcoal rot, Oil Content 17.25 % & Protein 39.38%	
Remark	Less susceptible to rust diseases	

Soybean – Phule Agrani (KDS 344)

KDB 344	Release year	2015
	Name of Institute	Agricultural Research Station, K.Digraj,
Company Comments	/ University	Dist.Sangli
	Soil type	Well drained, medium to heavy sandy loam soil.
	Climate	Kharif season
Sowing Time / Planting period	2 nd fortnight of June to first week of July	
Seed Rate (Per acre)	30 kg	
Crop duration	105-110 days	
Productivity	25-30 Qt/ha	
Characters / features	Suitable for Southern zone (Southern Maharashtra, Telangana, Andhra Pradesh, Tamil Nadu) of India, Resistant to rust diseases, Oil Content 18.6 %, Suitable for rust prone area.	
Remark	Resistance to rust diseases.	



Mahatma Phule Krishi Vidyapeeth, Rahuri

Soybean – Phule Sangam (KDS 726)

Print Bogan jone 7/2 VARIETY	Release year	2016
	Name of Institute	Agricultural Research Station, K.Digraj,
The state of the s	/ University	Dist.Sangli
	Soil type	Well drained, medium to heavy sandy loam soil.
The state of the s	Climate	Kharif season.
Sowing Time / Planting period	Last week of June to first week of July	
Seed Rate (Per acre)	25 kg	
Crop duration	100-105 days	
Productivity	23-25 Qt/ha	
	Suitable for cultivation under Southern zone (Maharashtra, Telangana, Andhra Pradesh, Karnataka & Tamil Nadu), Resistant to	
Characters / features rust, moderately resistant to Charcoal rot, Oil Content 1		esistant to Charcoal rot, Oil Content 18.42 % &
	Protein content 38.14 %, Resistant to purple seed stain & tolerant to	
	pest complex.	
Remark	Resistance to rust diseases.	

Soybean – Phule Kimaya (KDS 753)

NUB 753 SURBAY VALUETY	Release year	2017
	Name of Institute	Agricultural Research Station, K.Digraj,
	/ University	Dist.Sangli
	Soil type	Well drained, medium to heavy sandy loam soil.
Section 1997 Annual Property of the Section 1997 Annual Property o	Climate	Kharif season.
Sowing Time / Planting period	Last week of June to first week of July	
Seed Rate (Per acre)	25 kg	
Crop duration	105-110 days	
Productivity	25-30 qt/ha	
Characters / features		
Remark	Resistance to rust diseases.	



Soybean – KS-103

	Release year	2018
	Name of Institute / University	College of Agricultural Kolhapur
	Soil type	Well drained, medium to heavy sandy loam soil.
	Climate	Kharif season
Sowing Time / Planting period	Last week of June to first week of July	
Seed Rate (Per acre)	25-30 kg	
Crop duration	95-100 days	
Productivity	25-30 Qt/ha	
Characters / features	Suitable for cultivation in Southern Maharashtra, Andhra Pradesh, Tamil Nadu, Resistant to rust and various pests, non lodging, Oil Content 18.10%	
Remark	High yielding	

Soybean – Phule Durva (KDS 992)

KDS 992 (फूले दुर्ग)	Release year	2021
	Name of Institute / University	Agricultural Research Station, K.Digraj, Dist.Sangli
	Soil type	Well drained, medium to heavy sandy loam soil.
	Climate	Kharif season.
Sowing Time / Planting period	Last week of June to first week of July	
Seed Rate (Per acre)	25-30 kg	
Crop duration	100-105 days	
Productivity	25-30 qt./ha.	
Characters / features	Oil content (18.25 %), resistant to rust, purple seed stain and bacterial pustule diseases	
Remark		National level for Southern Maharashtra, ka, Andhra Pradesh and Telangana.