

#### AGROMET ADVISORY BULLETIN

## GRAMIN KRISHI MAUSAM SEWA, AMFU, RAHURI DEPARTMENT OF AGRONOMY, MPKV, RAHURI.



E-mail: rahuri.amfu@gmail.com

Ph. No. 02426 243239

### 64) Weather based Agromet Advisory committee meeting dated 08.10.2024

**District: Dhule** 

| Last Week Weather Summary (01.10.2024 to 07.10.2024) |  |  |  |  |  | Weather<br>Parameters | Weather Forecast (09.10.2024 to 13.10.2024) |    |    |    |    |    |
|--|--|--|--|--|--|-----------------------|---|----|----|----|----|----|
| 01   |  |  |  |  |  |                       | Date  | 09 | 10 | 11 | 12 | 13 |
|  |  |  |  |  |  |                       | Rainfall (mm)                               | 2  | 0  | 4  | 6  | 2  |
|  |  |  |  |  |  |                       | Max. Temp. (0C)                             | 33 | 32 | 32 | 33 | 33 |
|  |  |  |  |  |  |                       | Min. Temp. (0C)                             | 25 | 25 | 24 | 25 | 25 |
|  |  |  |  |  |  |                       | Cloud Cover                                 | 2  | 5  | 7  | 8  | 6  |
|  |  |  |  |  |  |                       | Max. RH (%)                                 | 82 | 81 | 82 | 83 | 82 |
|  |  |  |  |  |  |                       | Min. RH (%)                                 | 33 | 59 | 58 | 59 | 60 |
|  |  |  |  |  |  |                       | Wind Speed(km/hr)                           | 9  | 8  | 9  | 7  | 10 |

|                    | Agro       | omet Advisory Based on Weather Forecast Prediction                                      |
|--------------------|------------|---|
| Crop               | Stage      | Advisory  |
| Weather            | Summary    | According to the weather forecast from the RMC, Mumbai, sky will remain                 |
|                    |            | partly cloudy during next five days. Also, there is a possibility of very light         |
|                    |            | rain is likely to occur at some places on 11 <sup>th</sup> to 12 <sup>th</sup> October. |
| General            | Advisory   | A sticker should be used while spraying.  |
| SMS Advisory       |            | As there is a chance of rain, the harvested and sun-dried farm produce                  |
|                    |            | should be kept in a safe place or covered with plastic paper.                           |
| Soybean Harvesting |            | Soybean crop should be harvested and dried in the field in sunlight by                  |
|                    |            | making small mounds of straw. Then remove the affected/ sprouted pods                   |
|                    |            | and threshing should be done after the rainfall stops and weather is clear.             |
| Pearl millet       | Harvesting | Harvest the mature crop by estimating the rainfall. Harvested produce                   |
|                    |            | should be stored in a safe place.   |
| Sunflower          | Harvesting | If Sunflower crop is matured, it should be harvested. Harvested crop should             |
|                    |            | be threshed. The grains should be kept clean and dried in the sun and stored            |
|                    |            | in a dry place.   |
| Groundnut          | Storage    | At the time of harvesting pods should be immediately picked from the                    |
|                    |            | plants and keep for the sun drying for 4 to 5 days to attend the pod moisture           |
|                    |            | upto the 8 to 10% and stored in the godown.   |
| Maize              | Harvesting | The matured crop should be harvested.   |
| <b>Pigeon Pea</b>  | Flower     | In case of infestation of Maruca vitrata Geyer, spray the crop with 5 %                 |
|                    | Initiation | Neem seed extract or Azadirectine 0.03 %, 300 ppm @ 50 ml/ 10 lit water.                |
| Onion              | Sowing     | Onion planting should be completed before the end of October. For this                  |
|                    |            | Phule Samarth and N-2-4-1 varieties should be used. The seeds should be                 |
|                    |            | treated with Azospirillum and Phosphorus soluble bacteria at the rate of 25             |
|                    |            | g per kg.   |
| Chickpea           | Sowing     | 1) Rainfed sowing should be done upto 10th October.                                     |
| _                  |            | 2) Before sowing, mix Trichoderma @2.5 kg / Aare in soil in well                        |
|                    |            | decomposed FYM.   |
|                    |            | 3) Sowing should be done on ridges and furrows or Broad Bed Furrows                     |
|                    |            | (BBF).  |
| Sorghum            | Sowing     | Rabi sorghum sowing should be done till 15th October. Sowing should be                  |
|                    |            | by considering soil moisture. Variety selection according to soil type: Light           |
|                    |            | soil (depth 30 cm): Phule Anuradha, Phule Mauli, Medium soil (depth 60                  |
|                    |            | cm): Phule Suchitra, Phule Mauli, Parbhani Moti, Maldandi 35-1 and Heavy                |
|                    |            | Soil (more than 60 cm): Improved varieties: Phule Vasudha, Phule                        |
|                    |            | Yashoda, C.S.V. 22, P.K.V. Kranti, Parbhani Moti Hybrid varieties: C. S.                |
|                    |            | rasnoua, C.S. v. 22, r.K. v. Kranu, raronam mon riyonu vaneties. C. S.                  |



#### AGROMET ADVISORY BULLETIN

# GRAMIN KRISHI MAUSAM SEWA, AMFU, RAHURI DEPARTMENT OF AGRONOMY, MPKV, RAHURI.



E-mail: rahuri.amfu@gmail.com

Ph. No. 02426 243239

|           |        | H. 15 and C.S.H. 19 and Rainfed: Phule Revati, Phule Vasudha, C.S.V. 18,                         |
|-----------|--------|--|
|           |        | C.S.H.15, C.S.H. 19.   |
| Safflower | Sowing | Sowing of rabi safflower can be done from the second fortnight of                                |
|           |        | September to the first week of October.  |
|           |        | For sowing of rabi safflower verities, biofertilizer, fertilizer etc should be                   |
|           |        | planned. Straight / hybrid varieties recommended for sowing of safflower                         |
|           |        | should be selected. For sowing in dryland areas of safflower, varieties like                     |
|           |        | Bhima, Phule Kusuma, Phule Kardai-733 should be selected. For dryland as                         |
|           |        | well as irrigated safflower S.S. F708, Phule Chandrabhaga (S. S. F. 748),                        |
|           |        | Phule Nira S. S. F.12-40, Phule Bhivara S. S. F.13-71, Phule Gold S. S.                          |
|           |        | F.15-65, Phule Kiran S. S. F.16-02, Nari-06 those varieties should be                            |
|           |        | selected.  |
| Sugarcane | Sowing | Pre seasonal sugarcane is planted between 15 <sup>th</sup> October to 15 <sup>th</sup> November. |
|           |        | Carry out land preparation for Preseasonal Sugarcane planting. Select                            |
|           |        | varieties like Co.86032 (Nira), Co.M0265 (Phule 265), M.S.10001 (Phule                           |
|           |        | 10001), CO 94012 (Phule Savitri) for cultivation.  |

#### **Source**:

1) Weather Forecast : RMC, Mumbai

2) Last week weather summary : College of Agriculture, Dhule.

Place: MPKV, Rahuri Sd/-

Date : 08.10.2024 Nodal Officer, GKMS, AMFU Rahuri & Head, Department of Agronomy, MPKV, Rahuri.