

## **AGROMET ADVISORY BULLETIN**

# GRAMIN KRISHI MAUSAM SEWA, AMFU, RAHURI DEPARTMENT OF AGRONOMY, MPKV, RAHURI.



Ph. No. 02426 243239

# 6 243239 E-mail: rahuri.amfu@gmail.com 74) Weather based Agromet Advisory committee meeting dated 14.11.2025

#### **District: Dhule**

Last Week Weather Summary (07.11.2025 to 13.11.2025)							Weather Parameters	(15	Weather Forecast (15.11.2025 to 19.11.2025)			
07	08	09	10	11	12	13	Date	15	16	17	18	19
							Rainfall (mm)	0	0	0	0	0
							Max. Temp. (0C)	30	30	29	29	30
							Min. Temp. (0C)	13	11	10	9	10
							Cloud Cover	0	0	0	0	0
							Max. RH (%)	80	80	79	77	78
							Min. RH (%)	38	37	36	35	35
							Wind Speed (km/hr)	6	6	6	6	7

**Agromet Advisory Based on Weather Forecast Prediction** 

•	C4	A 1 ·				
Crop	Stage	Advisory				
Weather Summary		According to the weather forecast from the RMC, Mumbai, weather will remain				
		dry for next five days. As the minimum temperature is likely to drop in the				
		next three days, farmers should be careful with cold.				
General Advisory		1) Use Meghdoot mobile app for weather based crop advisory and prediction.				
		2) Farmers should take necessary precautionary measures while spraying				
		insecticide, fungicide etc. and use Kisan Kavach Body Suite.				
		3) Avoid the application of fertilizers during cold wave condition as the				
		roots efficiency of plant become less during cold wave.				
		4) Avoid intercultural operations during cold wave for avoiding the				
		dissipation of heat from soil.				
SMS Advisory		As the minimum temperature is likely to drop in the next three days,				
		farmers should be careful with cold.				
Wheat	Sowing	Irrigated wheat should not be sown after the second week of November. Late				
		sowing reduces yield.				
Chickpea Sowing Yield is very low if sowing		Yield is very low if sowing is delayed or after December.				
Cotton	Picking	Continue the picking at 15 to 20 days interval.				
		Uprooting the stalk after picking of all cotton and use of all stalk along with				
		compost culture for composting and prepared decomposed compost which are				
		free for insect and pest eggs.				
Sugarcane	Sowing	Varieties developed by the university should be selected for pre-seasonal				
		sugarcane cultivation before November end.				
		Sett Treatment: Before planting, setts should be treated with 300 ml of malathion				
		or 265 ml of dimethoate or 100 g of bavistin in 100 liters of water for 10				
		minutes. Then soaked the sugarcane setts in the mixture of 10 kg of acetobacter				
		or 1 liter of liquid acetobacter + 1.25 kg of PSB in 100 liters of water for 30				
		minutes.				
Potato	Sowing	Kufri Jyoti, Kufri Jalvi, Kufri Sindhuri, Kufri Surya, Kufri Pukhraj etc. should				
		be used for planting potatoes for rabi season.				
Pea	Sowing	Bonvilla, Arkel, Phule Priya etc. should be used for planting peas for rabi				
		season.				
Tomato		Due to the cloudy weather, there is a possibility of increasing the incidence of				
		sucking pest and fungal diseases on vegetable crops.				
		If blight and dieback appear on tomatoes, the diseased leaves and fruits lying on				
		the ground should be collected and burnt properly. It should not be thrown on				
	<u> </u>	g				



### AGROMET ADVISORY BULLETIN

## GRAMIN KRISHI MAUSAM SEWA, AMFU, RAHURI DEPARTMENT OF AGRONOMY, MPKV, RAHURI.



E-mail: rahuri.amfu@gmail.com

#### Ph. No. 02426 243239

	the embankment or near the plot. Also spray the crop with Tebuconazole 10 ml
	per 10 lit. of waters with simple hand pump. Next spraying should be done at 10-
	5 day's interval as per requirement.
Fruit	Irrigate the fruit crops in the evening to protect them from the cold.
Crops	Due to the possibility of an increase in cold cover young fruit plants with straw/
	polythene sheets/ gunny bags.
Animals	Keep cattle inside the sheds during night and provide dry bedding to protect
	them from cold.
	Increase protein level and minerals in the feed concentrate to keep the animals
	healthy to cope up with the cold condition.
	Give mineral mixture to animals along with salt regularly and also wheat grains,
	jaggery etc.
Poultry	Keep the chicks warm by providing artificial light in the poultry sheds.
	Do not allow cattle grazing during morning hours.
	Do not keep cattle in the open during night time.

#### Source:

1) Weather Forecast : RMC, Mumbai

2) Last week weather summary

Place: MPKV, Rahuri Sd/-

Date : 14.11.2025 Nodal Officer, GKMS, AMFU Rahuri & Head, Department of Agronomy, MPKV, Rahuri.