

AGROMET ADVISORY BULLETIN

GRAMIN KRISHI MAUSAM SEWA, AMFU, PUNE





Ph No. 020-25538009

E-mail: amfupune@gmail.com

Weather based Agromet Advisory committee meeting dated 25.04.2024 District Jalgaon

Weather Parameters	Weather Forecast (25.04.2025 to 29.04.2025)				
Date	26	27	28	29	30
Rainfall (mm)	0	4	0	0	0
Max. Temp. (0C)	42	40	40	41	41
Min. Temp. (0C)	26	25	25	25	26
Cloud Cover	1	4	0	0	0
Max. RH (%)	88	85	86	85	86
Min. RH (%)	38	39	38	38	39
Wind Speed(km/hr)	9	10	8	8	9
Wind direction (deg)	297	292	286	292	301

Agromet Advisory Based on Weather Forecast Prediction

rigionici riavisory Based on vicather 1 or ceast 1 realetion					
Crop	Crop Stage	Advisory			
Weather Summary/ Alert		According to forecast given by Regional Meteorological Centre, Mumbai of			
		India Meteorological Department, there is possibility of rainfall at isolated			
		places on dt. 26 th April, 2025 and the weather may remain dry on dt. 25 th ,			
		27 th , 28 th & 29 th April, 2025 in the district.			
		Warning: According to forecast given by Regional Meteorological Centre,			
		Mumbai of India Meteorological Department, the weather may remain hot &			
		humid at isolated places on dt. 25 th April, 2025 in the district.			
Extended Range Forecast		As per ERFS products during 30 th April, 2025 to 06 th May, 2025 over			
	ERFS)	Madhya Maharashtra (Dhule, Nandurbar, Jalgaon, Nashik, Ahmednagar,			
		Pune, Satara, Sangli, Solapur, Kolhapur) division			
		Rainfall may remain above normal.			
		Maximum temperature may remain below normal.			
		Minimum temperature may remain normal.			
Genera	ıl Advisory	• As there is possibility of rainfall the farm produce should be kept at safe			
		storage places and the produce which is kept in open field should be			
		covered with tarpaulin sheet.			
		• As there is possibility of maximum temperature to be around 40 to 42 ^o C			
		during next five days, hence, farmers are advised to take care of			
		themselves, crops & animals.			
		• Use of mulching should be practiced in newly planted fruit orchards to			
		retain soil moisture and avoid evaporation losses.			
		• Due to hot and humid conditions, crops may experience increased			
		evapotranspiration leading to water stress, flower/fruit drop, and reduced			
		irrigation efficiency. Light and frequent irrigation, mulching are advised.			
		• As the day time temperatures are on raise carry out all the field operations			
		in morning hours			

		 Farmers should observe the pest and disease incidence on their field and if the infestation is above economic threshold level (ETL) then proper pest and disease management should be done. Farmers should download and make use of Meghdoot mobile app for
		weather based crop advisory and weather forecast.
		Also, farmers should download and make use of Damini mobile app for
		lightning and thunderstorm warning and forecasting.
		• Farmers should refer and use KRISHIDARSHINI published by Mahatama
Onion	Maturity to	Phule Agricultural University for all agriculture related information. Harvested produce should be kept at safe storage places. After harvesting of
Omon	Harvesting	onion keep them for drying along with leaves for 3-4 days in the field. For
	Stage	drying keep the uprooted onions in rows by covering half of them by leaves.
	_	After drying cut the leaves by 4 cm apart from onion
Summer	Pod	Water stress should be avoided during pod formation to pod-development
Groundnut	development	stage. Apply irrigation to crop according to soil texture and the crop growth
Groundiat	stage	stages.
Summer	Grain filling	Apply irrigation to Summer Pearl Millet crop according to soil texture and
Pearl Millet	stage	the critical crop growth stages.
(Summer Bajra)		
Maize		Spraying of neem ark 5% or emamectin benzoate 5% SG, 8 gm per liter of
	Hamiasting to	water for control of American Army worm. Care should be taken that the
	Harvesting to storage	maize crop which has been sprayed by insecticide should not be used as
	storage	fodder. Matured crop should be harvested and it should be dried in sunlight.
Banana	Vagatativa	Care should be taken to avoid storage in damp & moist places.
Danana	Vegetative growth stage	Give support of bamboo sticks or polypropelene sticks to the plants and banana bunch which is big. As there is possibility of high temperature
	growth stage	farmers are advised to do fencing of orchard with green shadenet and to
		protect the banana bunch from hot weather it should be covered by banana
		leaves. Apply irrigation to crop by drip irrigation system according to soil
C		texture and the crop growth stage.
Grape		If planning for foundation pruning in next 10- 15 days, it is advised to get soil and water analysed for planning nutrient and water application schedule for
		foundation pruning season.
	Maturity to	Mulching of dried leaves, grass etc. should be done at the base of mango tree.
	Harvesting	The fruit fly lays its eggs in the fruit below outer cover of the fruit when the
	Stage	fruit is about to mature. The larvae develop on the pulp of the fruit. Hence the
Mango		infested fruit should be destroyed. The soil should be ploughed below the trees. For its control use methyl usenol coated 8-10 traps per acre. Harvest the
		matured fruits preferably before 10AM or after 4PM and store them at safe
		place for ripening. The transportation of produce should be done in evening
		or after.
Animal		To protect Poultry birds from hot weather cover the sides of Poultry shed
Managemen		with gunny bags and spray water on these gunny bags to minimize the
t		temperature inside the poultry house. Cover the roof of poultry shed with grass or with gunny bags which will help to reduce temperature within
		poultry house. Do not take the conceived animals for grazing in open field
		when the temperatures are high. Cover the cows and buffaloes with wet
		gunny bags to protect from high temperatures. The animals should be kept in
		a cool place or under a tree. Sprinkle water on the roof of cattle shed with

dried grass, dried farm wasted, dried coconut leaves etc. In summer season animal should be given cold and clean water 3-4 times. If there is a separate water facility in the barn, the water pot should be in the shade and the pot should be made mainly of clay or cement so that the water in it stays cool throughout the day.

The country's first animal health mobile system (app) Phule Amrutkal App, developed by the Department of Animal Husbandry and Dairy science under the Indigenous Cattle Research and Training Centre (ICRTC) of Mahatma Phule Krishi Vidyapeeth, at the College of Agriculture, Pune, was launched for farmers and farmers should download and install it in their mobile and get weather based animal advisories.

Benefits of Phule Amrutkal App Download:

This app will advise farmers and instructions will be given from time to time on how to alleviate heat-related stress in cattle, reduce the temperature in the cowshed and maintain proper humidity, provide shade, maintain proper ventilation, provide cold water for drinking, start the fan or fogger system automatically, and plan a balanced diet, etc.

Note: Farmers should take necessary precautionary measures while spraying insecticide, fungicide etc. and use Kisan Kavach Body Suite.

Source:

1) Weather Forecast : Regional Meteorological Centre (RMC, Mumbai)

2) Last week weather summary : -

Place : COA, Pune Sd/-

Date : 25.04.2025 Principal Nodal Officer, GKMS, AMFU Pune & Head, Department of Agril. Meteorology, COA, Pune.