

## AGROMET ADVISORY BULLETIN GRAMIN KRISHI MAUSAM SEWA, AMFU, KOLHAPUR ZONAL AGRICULTURAL RESEARCH STATION, SHENDA PARK, KOLHAPUR



#### Ph. No. 0231 2692416

### E-mail: adrkolhapur@rediffmail.com

#### Weather based Agromet Advisory committee meeting dated 25.04.2025 District: KOLHAPUR

		<u>OLHAP</u> st Week		r Summø	rv		Weather	Weather Weather Forecast								
		(19.04.20			·		Parameters	(26.04.2025 to 30.04.2025)								
19	20	21	22	23	24	25	Date	26	27	28	29	30				
0.0	0.0	0.0	0.0	13.8	1.0	8.0	Rainfall (mm)	12	13	6	2	0				
38.0	37.2	37.4	36.5	40.0	38.2	35.5	Max. Temp. ( <sup>0</sup> C)	35	34	35	35	36				
23.5	22.6	23.4	24.2	21.2	22.6	22.7	Min. Temp. ( <sup>°</sup> C)	23	23	23	22	22				
4	4	5	0	0	0	8	Claud Cayor	4	5	3	3	1				
2	6	2	5	0	0	-	Cloud Cover	4				1				
86	85	75	81	78	89	93	Max. RH (%)	94	93	92	94	95				
36	34	40	40	38	38	54	Min. RH (%)	53	55	53	52	53				
2.8	3.0	2.6	3.2	2.8	3.7	2.9	Wind Speed(km/hr)	3	3	4	5	7				
SW	WSW	ENE	SSE	NW	W	W	Wind Direction	WNW	N	W	W	W				
WNW	NE	NE	ENE	WSW	WSW	-										
]	Rainfall last week				Rainfall s		01.2025 (mm)	Rainy days since 01.01.2025								
	22	.8		29.4     5       Agromet Advisory Based on Weather Forecast Prediction												
0		<u>C</u> .	A	Agromet .	Advisory	Based o		rediction	n							
Crop Stage Weather Summary			West	Advisory           Weather forecast given by Regional Meteorological Centre, Mumbai has indicated that there is												
ERFS Weather warning			forecast of generally cloudy sky on 26 <sup>th</sup> and 27 <sup>th</sup> April, partially cloudy sky on 28 <sup>th</sup> and 29 <sup>th</sup> April and forecast of mainly clear sky on 30 <sup>th</sup> April in Kolhapur district. There is forecast of light rainfall at isolated places in Kolhapur district on 26 <sup>th</sup> , 27 <sup>th</sup> , 28 <sup>th</sup> and 29 <sup>th</sup> April. During next 5 days Tmax may remain between 34.0 to 36.0°C. During next 5 days the minimum temperature may remain between 22.0 to 23.0°C. Morning relative humidity will remain nearby 92 to 95% and Afternoon relative humidity will remain nearby 52 to 55%. Wind speed will remain between 3 to 7 kmhr <sup>-1</sup> . According to Extended Range Forecast (ERF) in Madhya Maharashtra Sub Division rainfall will remain above Normal, maximum temperature will remain below Normal and minimum temperature will remain Normal valid from 30 <sup>th</sup> April to 6 <sup>th</sup> May, 2025 Thunderstorm accompanied with lightning, gusty winds (50- 60kmph), hail at isolated places Ghats of KOLHAPUR, KOLHAPUR on 25 <sup>th</sup> April													
			Thunderstorm accompanied with lightning, light to moderate rainfall & gusty winds (30-40kmph) at isolated places in KOLHAPUR on 26 <sup>th</sup> April Thunderstorm accompanied with lightning, light to moderate rainfall & gusty winds (30-40kmph) at isolated places on Ghats of KOLHAPUR, KOLHAPUR on 27 <sup>th</sup> April													
General	Advisor	у	proc (Sur )> Farr ligh > Use hail ♦ C > In orv	<ul> <li>Carry out harvesting of matured crop, carry out threshing and keep the harvested and threshed produce at safe place as there is forecast of light rainfall from on 25<sup>th</sup>, 26<sup>th</sup> and 27<sup>th</sup> April (Sunflower, Sorghum and Onion)</li> <li>Farmers should take care of themselves and their cattles as there is warning of thunderstorm, lightening with rainfall on 25<sup>th</sup>, 26<sup>th</sup> and 27<sup>th</sup> April</li> <li>Use hail nets for Mango, Banana, Watermelon and Tomato crop as there is possibility of hail on 25<sup>th</sup> April</li> <li>Care should be taken by farmers during thunderstorm and lightening</li> <li>In view of thunderstorm accompanied with gusty winds, provide mechanical support to orchards, staking in vegetables.</li> <li>If farmers are in the field and can't find any shelter, avoid the tallest object in the area. If only isolated trees are nearby, best protection is to crouch in the open.</li> </ul>												



## AGROMET ADVISORY BULLETIN GRAMIN KRISHI MAUSAM SEWA, AMFU, KOLHAPUR ZONAL AGRICULTURAL RESEARCH STATION, SHENDA PARK, KOLHAPUR



#### Ph. No. 0231 2692416

## E-mail: adrkolhapur@rediffmail.com

		Keep animals away from open water, pond or river.							
		Keep animals away from tractors and other metal farm equipment.							
		Cover the harvested produce (if in the field) with polythene sheet.							
		Avoid contact with electrical equipment or cords.							
		Don't allow your animals to congregate under trees.							
SMS Advis	ory	Farmers should download "Meghdoot" android application on mobile for Agromet Advisory							
	-	Services and "Damini" android application for forecast of lightening.							
Sunflower	Maturity	Carry out harvesting of matured	Sunflower crop and keep the harvested produce at safe place as						
	· ·	rainfall is forecasted.							
Groundn	Pod	For fulfilling the deficiency of 1	micronutrients in standing crop spray the crop with 0.5% Fe and						
ut	development	0.2% Zinc Sulphate mixture at 50 and 70 days after sowing when there is no rainfall.							
Sugarcan	Establishme	➤ At the time of earthing up of Suru Sugarcane give fertilizer dose of 100 kg Nitrogen (217 kg							
e nt		Urea), 55 Kg Phosphorus (344 kg Single Super Phosphate) and 55 Kg Potash (Murate of Potash).							
		➢ Give fertilizer dose when there is no rainfall or after 28 <sup>th</sup> April							
Mango	Fruit	Carry out harvesting of mango fruit at 80 to 85% maturity stage. Harvesting should be done with							
	development	help of nutan mango harvester keep the harvested fruits at safe place as rainfall is forecasted.							
		> Keep the harvested fruits in shade to prevent development of spongy tissue and from heat.							
		Transport of matured fruit should be done during night. Do not spray the plant with any type of							
		fungicide or insecticide at least 8 days before harvesting of fruit.							
		There is forecast of hails thus to protect Mango fruits use hailnets to the Mango Orchard.							
Tomato	to Growth Carry out staking to Tomato plants to prevent lodging of plant as there is forecast of thunder								
	accompanied with lightning, light to moderate rainfall & gusty wind.								
			protect Tomato fruits use hailnets to the Tomato crop						
Banana	na Fruit > There is forecast of rainfall thus carry out harvesting of matured bunches and keep the h								
	development								
		> Due to rainfall and gusty wind there is possibility of lodging of Banana plants thus carry out							
		staking to plants to avoid lodging							
		<ul> <li>There is forecast of hails thus to protect Banana bunches from hail damage use hailnets to the</li> </ul>							
		Banana Orchard							
Orion	<b>M</b> a 4								
Onion	Maturity	Carry out harvesting of Onion as early as possible and keep the harvested produce at safe place.							
		If is not possible to keep Onions at safe place then Cover the collected onions with polythene sheets.							
Waterme	Fruit	<ul> <li>Sneets.</li> <li>There is forecast of hails thus to protect Watermelon fruits from hail damage use hailnets to the</li> </ul>							
		Watermelon crop							
lon	development								
Animals	Growth	Do not allow animals for grazing during warning period.							
			as there is possibility of thunderstorm, lightening and light to						
		moderate rainfall.							
To d	ownload <b>"Me</b>	ghdoot" app scan QR code	To download <b>"Damini"</b> app scan QR code						
		NGCALEI	回羅祭画						
		T STATE AND A S	The Real Property in the Re						
			Z <b>255</b> 7595						
		- S - S - S	1372450						
	IBS,								



# AGROMET ADVISORY BULLETIN GRAMIN KRISHI MAUSAM SEWA, AMFU, KOLHAPUR ZONAL AGRICULTURAL RESEARCH STATION, SHENDA PARK, KOLHAPUR



Ph. No. 0231 2692416

E-mail: adrkolhapur@rediffmail.com

1) Weather Forecast : Research Section, Mumbai

2) Last week weather summary : IMD observatory (ZARS,KOLHAPUR)

Place : ZARS, KOLHAPUR

Date : 25.04.2025

Sd/-Nodal Officer, GKMS, & Associate Director of Research, ZARS, Kolhapur