



AGROMET ADVISORY BULLETIN

GRAMIN KRISHI MAUSAM SEWA, AMFU, KOLHAPUR

ZONAL AGRICULTURAL RESEARCH STATION, SHENDA PARK, KOLHAPUR



Ph. No. 0231 2692416

E-mail: adrkolhapur@rediffmail.com

Weather based Agromet Advisory committee meeting dated 25.04.2025

District: SANGLI

Last Week Weather Summary (19.04.2025 to 25.04.2025)							Weather Parameters	Weather Forecast (26.04.2025 to 30.04.2025)				
19	20	21	22	23	24	25	Date	26	27	28	29	30
-	-	-	-	-	-	-	Rainfall (mm)	9	12	7	0	0
-	-	-	-	-	-	-	Max. Temp. (°C)	36	35	36	36	37
-	-	-	-	-	-	-	Min. Temp. (°C)	25	24	23	23	23
-	-	-	-	-	-	-	Cloud Cover	2	4	3	1	1
-	-	-	-	-	-	-	Max. RH (%)	74	75	74	75	74
-	-	-	-	-	-	-	Min. RH (%)	50	51	52	51	52
-	-	-	-	-	-	-	Wind Speed(km/hr)	8	6	8	10	13
-	-	-	-	-	-	-	Wind Direction	WNW	WNW	W	W	WSW

Agromet Advisory Based on Weather Forecast

Crop	Stage	Advisory
Weather Summary		Weather forecast given by Regional Meteorological Centre, Mumbai has indicated there is forecast of partially cloudy sky from 26 th to 28 th April and mainly clear sky on 29 th and 30 th April in Sangli district. There is forecast of light rainfall at isolated places in Sangli district on 26th, 27th and 28th April. During next 5 days Tmax may remain between 35.0 to 37.0°C. During next 5 days the minimum temperature may remain nearby 23.0 to 25.0°C. Morning relative humidity will remain nearby 74 to 75% and Afternoon relative humidity will remain nearby 50 to 52%. Wind speed will remain between 06 to 13 km per hour.
ERFS		According to Extended Range Forecast (ERF) in Madhya Maharashtra Sub Division rainfall will remain above Normal, maximum temperature will remain below Normal and minimum temperature will remain Normal valid from 30th April to 6th May, 2025
Weather warning		Thunderstorm accompanied with lightning, gusty winds (50- 60kmph), hail at isolated places in district of SANGLI on 25th April Thunderstorm accompanied with lightning , light to moderate rainfall & gusty winds (30-40kmph) at isolated places in district of SANGLI on 26th April Thunderstorm accompanied with lightning, light to moderate rainfall & gusty winds (30-40kmph) at isolated places in district of SANGLI on 27th April
General Advisory		<ul style="list-style-type: none"> ➤ Carry out harvesting of matured crop, carry out threshing and keep the harvested and threshed produce at safe place as there is forecast of light rainfall from on 25th, 26th and 27th April (Sunflower, Sorghum and Onion) ➤ Farmers should take care of themselves and their cattles as there is warning of thunderstorm, lightening with rainfall on 25th, 26th and 27th April ➤ Use hail nets for Mango, Banana, Watermelon and Tomato crop as there is possibility of hail on 25th April ❖ Care should be taken by farmers during thunderstorm and lightening <ul style="list-style-type: none"> ➤ In view of thunderstorm accompanied with gusty winds, provide mechanical support to orchards, staking in vegetables. ➤ If farmers are in the field and can't find any shelter, avoid the tallest object in the area. If only isolated trees are nearby, best protection is to crouch in the open. ➤ Keep animals away from open water, pond or river. ➤ Keep animals away from tractors and other metal farm equipment. ➤ Cover the harvested produce (if in the field) with polythene sheet. ➤ Avoid contact with electrical equipment or cords. ➤ Don't allow your animals to congregate under trees.
SMS Advisory		Farmers should download "Meghdoot" android application on mobile for Agromet Advisory Services





AGROMET ADVISORY BULLETIN
GRAMIN KRISHI MAUSAM SEWA, AMFU, KOLHAPUR
ZONAL AGRICULTURAL RESEARCH STATION,
SHENDA PARK, KOLHAPUR



Ph. No. 0231 2692416

E-mail: adrkolhapur@rediffmail.com

		and "Damini" android application for forecast of lightening.
Sunflower	Maturity	➤ Carry out harvesting of matured Sunflower crop and keep the harvested produce at safe place as rainfall is forecasted.
Groundnut	Pod development	➤ For fulfilling the deficiency of micronutrients in standing crop spray the crop with 0.5% Fe and 0.2% Zinc Sulphate mixture at 50 and 70 days after sowing when there is no rainfall.
Sugarcane	Establishment	➤ At the time of earthing up of Suru Sugarcane give fertilizer dose of 100 kg Nitrogen (217 kg Urea), 55 Kg Phosphorus (344 kg Single Super Phosphate) and 55 Kg Potash (Murate of Potash). ➤ Give fertilizer dose when there is no rainfall or after 28 th April
Grapes	Prunning	➤ Complete April/ Foundation pruning in grapes. It is important for microbunch formation on buds of the vines. ➤ Do not keep the pruned leaves and stems of the vines on the bunds it should be collected and burn away from vineyard. ➤ After foundation pruning, during shoot growth stage, apply 12,750 – 15,300 L/acre per day of irrigation water.
Banana	Fruit development	➤ There is forecast of rainfall thus carry out harvesting of matured bunches and keep the harvested bunches at safe place ➤ Due to rainfall and gusty wind there is possibility of lodging of Banana plants thus carry out staking to plants to avoid lodging
Tomato	Growth	➤ Carry out staking to Tomato plants to prevent lodging of plant as there is forecast of thunderstorm accompanied with lightning, light to moderate rainfall & gusty wind. ➤ There is forecast of hails thus to protect Tomato fruits use hailnets to the Tomato crop
Mango	Fruit development	➤ Carry out harvesting of mango fruit at 80 to 85% maturity stage. Harvesting should be done with help of nutan mango harvester keep the harvested fruits at safe place as rainfall is forecasted. ➤ Keep the harvested fruits in shade to prevent development of spongy tissue and from heat. Transport of matured fruit should be done during night. Do not spray the plant with any type of fungicide or insecticide at least 8 days before harvesting of fruit. ➤ There is forecast of hails thus to protect Mango fruits use hailnets to the Mango Orchard.
Onion	Maturity	➤ Carry out harvesting of Onion as early as possible and keep the harvested produce at safe place. ➤ If is not possible to keep Onions at safe place then Cover the collected onions with polythene sheets.
Watermelon	Fruit development	➤ There is forecast of hails thus to protect Watermelon fruits from hail damage use hailnets to the Watermelon crop
Animals	Growth	➤ Do not allow animals for grazing during warning period. ➤ Keep the animals at safe place as there is possibility of thunderstorm, lightening and light to moderate rainfall.
To download "Meghdoot" app scan QR code		To download "Damini" app scan QR code
		

Source:

1) Weather Forecast

: Research Section, Mumbai

Place : ZARS, KOLHAPUR

Date : 25.04.2025

Sd/-

Nodal Officer, GKMS, &
Associate Director of Research,



AGROMET ADVISORY BULLETIN
GRAMIN KRISHI MAUSAM SEWA, AMFU, KOLHAPUR
ZONAL AGRICULTURAL RESEARCH STATION,
SHENDA PARK, KOLHAPUR



Ph. No. 0231 2692416

E-mail: adrkolhapur@rediffmail.com

ZARS, Kolhapur